

SONY

make.believe

2 International Business Park #05-10 Tower One The Strategy Singapore 609930
Telephone: (65) 6544 8338 Facsimile: (65) 6544 8330

Specification Sheet for MHS-PM5 and MHS-PM5K

Model Name	MHS-PM5 and MHS-PM5K					
Image Sensor	1/2.5" CMOS Sensor					
Effective Pixels for Still Image Recording	Approx. 5038K pixels (2592x1944, 4:3)					
Effective Pixels for Movie Recording	Approx. 2073K pixels (1080P)					
Zoom	Digital 4x (720P/VGA/photo)					
Recording Media (MS of 1GB or higher, and SD/SDHC memory card of Class 4 or higher are recommended for AVCHD recording)	Internal Memory (approx. 26 MB) Memory Stick PRO Duo (Mark 2) Memory Stick PRO-HG Duo SD Memory Card SDHC Memory Card					
Still Image Recording	JPEG					
Still Image Size	Approx. 5M (2592x1944), Approx. 4M (2592x1728), Approx. 3M (2048x1536), Approx. 2M (1920x1080), VGA (640x480)					
Movie Recording	MPEG4 AVC/H.264 (MP4)					
Movie Image Size	1920x1080 30p (16:9) 1280x720 60p (16:9) 1280x720 30p (16:9) 640x480 (4:3)					
Movie Recording Time	Formats/ Media Capacity	2GB	4GB	8GB	16GB	32GB
	AVC (.mp4) 1920 x 1080, Full HD	20 min	40 min	1h20min	2h40min	5h20min
	AVC (.mp4) 1280 X 729, 60p, HD	40 min	1h20min	2h40min	5h20min	10h40min
	AVC (.mp4) 1280 X 729, 30p, HD	1h	2h	4h	8h	16h
	VGA, 640 X 480	2h	4h	8h	16h	32h
LCD Monitor	2.4" (4:3), 230K dots					
White Balance	Auto					
Battery Remaining Indicator	●					
Continuous Recording Time	95 min					
Interfaces	- A/V OUT jack -Built-in USB arm					
Supplied Accessories	-Rechargeable battery pack NP-BK1 -A/V connecting cable -Wrist strap -4GB MS (CX35020 only) -USB Connection Supporting Cable -360 Video Lens with pouch (CX35020 only) -CD-ROM (PC application software "Picture Motion Browser")					

Specification Sheet for MHS-CM5

Model Name	MHS-CM5					
Image Sensor	1/2.5" CMOS Sensor					
Effective Pixels for Still Image Recording	Approx. 5038K pixels (2592x1944, 4:3)					
Effective Pixels for Movie Recording	Approx. 2070K pixels (1080P)					
Zoom	Optical 5x Digital 4x (20x 720P/VGA)					
Recording Media (MS of 1GB or higher, and SD/SDHC memory card of Class 4 or higher are recommended for AVCHD recording)	Internal Memory (approx. 26 MB) Memory Stick PRO Duo (Mark 2) Memory Stick PRO-HG Duo SD Memory Card SDHC Memory Card					
Still Image Recording	JPEG					
Still Image Size	5M (2592x1944), 4.5M (2592x1728), 3M (2048x1536), 2M (1920x1080), VGA (640x480)					
Movie Recording	MPEG4 AVC/H.264 (MP4)					
Movie Image Size	1920x1080 30p (16:9) 1280x720 60p (16:9) 1280x720 30p (16:9) 640x480 (4:3)					
Movie Recording Time	Formats/ Media Capacity	2GB	4GB	8GB	16GB	32GB
	AVC (.mp4) 1920 x 1080, Full HD	20 min	40 min	1h20min	2h40min	5h20min
	AVC (.mp4) 1280 X 729, 60p, HD	40 min	1h20min	2h40min	5h20min	10h40min
	AVC (.mp4) 1280 X 729, 30p, HD	1h	2h	4h	8h	16h
	VGA, 640 X 480	2h	4h	8h	16h	32h
LCD Monitor	2.5" (4:3), 230K dots					
White Balance	Auto					
Battery Remaining Indicator	●					
Continuous Recording Time	105 min (720 30p mode)					
Interfaces	- A/V OUT jack -Built-in USB arm -HDMI terminal					
Supplied Accessories	-Rechargeable battery pack NP-BK1 -A/V connecting cable -Wrist strap -USB Connection Supporting Cable -CD-ROM (PC application software "Picture Motion Browser")					

